

COPY OF PAPERS  
ORIGINALLY FILED

09825242-0121272  
#9

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to:

PATENT  
Attorney Docket No.: 019496-001810US

Assistant Commissioner for Patents  
Washington, D.C. 20231

on January 16, 2002  
TOWNSEND and TOWNSEND and CREW LLP  
By: Paula Paulk Kelly

RECEIVED  
FEB 19 2002  
TECH CENTER 1600/2900

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of:

EISENBERG et al.

Application No.: 09/825,242

Filed: April 2, 2001

For: SELECTION OF SITES FOR  
TARGETING BY ZINC FINGER  
PROTEINS AND METHODS OF  
DESIGNING ZINC FINGER PROTEINS  
TO BIND TO PRESELECTED SITES

Examiner: Jeffry Lundgren

Art Unit: 1631

PRELIMINARY AMENDMENT

Box Sequence

Assistant Commissioner for Patents  
Washington, D.C. 20231

Sir:

In response to the Notice to Comply With Requirements for Patent Applications Containing Nucleotide Sequence and/or Amino Acid Sequence Disclosures and Raw Sequence Listing Error Report, mailed December 10, 2001, Applicants submit the required paper copy and computer readable copy of the Substitute Sequence Listing.

Please find enclosed a **Substitute** Sequence Listing in the paper and computer readable format to replace the original Sequence Listing referenced and paper copy mailed on August 1, 2001.

Please amend the specification in adherence with 37 C.F.R. §§ 1.821-1.825 as follows.

EISENBERG et al.  
Application No.: 09/825,242  
Page 2

PATENT

IN THE SPECIFICATION:

Please cancel the "SEQUENCE LISTING", previously submitted on August 1, 2001, and insert therefor the accompanying paper copy of the Substitute Sequence Listing, page numbers 1-35, at the end of the application.

REMARKS

Applicants request entry of this amendment in adherence with 37 C.F.R. §§1.821 to 1.825. This amendment is accompanied by a floppy disk containing the above named sequences, SEQ ID NOS:1-97, in computer readable form, and a paper copy of the sequence information which has been printed from the floppy disk.

The information contained in the computer readable disk was prepared through the use of the software program "PatentIn" and is identical to that of the paper copy. This amendment contains no new matter.


If the Examiner believes a telephone conference would expedite prosecution of this application, please telephone the undersigned at 650-326-2400.

Respectfully submitted,



Joe Liebeschuetz  
Reg. No. 37,505

TOWNSEND and TOWNSEND and CREW LLP  
Two Embarcadero Center, 8<sup>th</sup> Floor  
San Francisco, California 94111-3834  
Tel: (415) 576-0200  
Fax: (415) 576-0300  
JOL:adm



COPY OF PAPERS  
OFFICIALLY FILED

1

09825242 178 1202

# 8

SUBSTITUTE SEQUENCE LISTING

<110> Rosenberg, Stephen P.

Case, Casey C.

Cox III, George N.

Jamieson, Andrew

Rebar, Edward J.

Sangamo Biosciences, Inc.

<120> Selection of Sites for Targeting by Zinc Finger  
Proteins and Methods of Designing Zinc Finger Proteins  
to Bind to Preselected Sites

<130> 019496-001810US

<140> US 09/825,242

<141> 2001-04-02

<160> 97

<170> PatentIn Ver. 2.1

<210> 1

<211> 25

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:exemplary motif  
characterizing the C-2H-2 class of zinc finger  
proteins (ZFP)

<220>

<221> MOD\_RES

<222> (1)..(25)

<223> Xaa = any amino acid

<220>

<221> MOD\_RES

<222> (4)..(5)

<223> Xaa = any amino acid, may be present or absent

<220>

<221> MOD\_RES

<222> (23)..(24)

<223> Xaa = any amino acid, may be present or absent

<400> 1

Cys Xaa Xaa Xaa Xaa Cys Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa  
1 5 10 15

Xaa Xaa His Xaa Xaa Xaa Xaa Xaa His  
20 25

<210> 2

<211> 5

<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:peptide linker

<400> 2  
Thr Gly Glu Lys Pro  
1 5

<210> 3  
<211> 5  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:peptide linker

<400> 3  
Gly Gly Gly Gly Ser  
1 5

<210> 4  
<211> 8  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:peptide linker

<400> 4  
Gly Gly Arg Arg Gly Gly Gly Ser  
1 5

<210> 5  
<211> 9  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:peptide linker

<400> 5  
Leu Arg Gln Arg Asp Gly Glu Arg Pro  
1 5

<210> 6  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:peptide linker

RECEIVED  
FEB 19 2002  
TECH CENTER 1600/2900

```
<220>
<223> Description of Artificial Sequence:amino acids
531-624 in Sp-1 transcription factor
```

<400> 9

Pro Gly Lys Lys Lys Gln His Ile Cys His Ile Gln Gly Cys Gly Lys  
 1 5 10 15  
 Val Tyr Gly Lys Thr Ser His Leu Arg Ala His Leu Arg Trp His Thr  
 20 25 30  
 Gly Glu Arg Pro Phe Met Cys Thr Trp Ser Tyr Cys Gly Lys Arg Phe  
 35 40 45  
 Thr Arg Ser Asp Glu Leu Gln Arg His Lys Arg Thr His Thr Gly Glu  
 50 55 60  
 Lys Lys Phe Ala Cys Pro Glu Cys Pro Lys Arg Phe Met Arg Ser Asp  
 65 70 75 80  
 His Leu Ser Lys His Ile Lys Thr His Gln Asn Lys Lys Gly  
 85 90

<210> 10

<211> 98

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Sp-1  
 transcription factor consensus sequence

<400> 10

Met Glu Lys Leu Arg Asn Gly Ser Gly Asp Pro Gly Lys Lys Lys Gln  
 1 5 10 15  
 His Ala Cys Pro Glu Cys Gly Lys Ser Phe Ser Lys Ser Ser His Leu  
 20 25 30  
 Arg Ala His Gln Arg Thr His Thr Gly Glu Arg Pro Tyr Lys Cys Pro  
 35 40 45  
 Glu Cys Gly Lys Ser Phe Ser Arg Ser Asp Glu Leu Gln Arg His Gln  
 50 55 60  
 Arg Thr His Thr Gly Glu Lys Pro Tyr Lys Cys Pro Glu Cys Gly Lys  
 65 70 75 80  
 Ser Phe Ser Arg Ser Asp His Leu Ser Lys His Gln Arg Thr His Gln  
 85 90 95  
 Asn Lys

<210> 11

<211> 10

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:natural Zif268  
binding site

<400> 11  
gcgtggg'gcgc

10

<210> 12  
<211> 10  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:target site  
containing three D-able subsites

<221> misc\_feature  
<222> (1)...(10)  
<223> n is a, c, g, or t

<400> 12  
ggntgngggn

10

<210> 13  
<211> 10  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:target site  
with two overlapping D-able subsites

<221> misc\_feature  
<222> (1)...(10)  
<223> n is a, c, g, or t

<400> 13  
nngkngknnn

10

<210> 14  
<211> 10  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:target site  
with three overlapping D-able subsites

<221> misc\_feature  
<222> (1)...(10)  
<223> n is a, c, g, or t

<400> 14  
nngkngkngk

10

22

23

<221> modified base



22

23

22

23

22

<220>



<210> 25  
 <211> 22  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence:target site DNA  
 motif searched by protocol 1

<220>  
 <221> modified\_base  
 <222> (1)..(22)  
 <223> n = g, a, c or t

<220>  
 <221> modified\_base  
 <222> (10)..(12)  
 <223> n = g, a, c or t, may be present or absent

<400> 25  
 gnnngnggnnn nngnggnngn gg

22

<210> 26  
 <211> 23  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence:target site DNA  
 motif searched by protocol 1

<220>  
 <221> modified\_base  
 <222> (1)..(23)  
 <223> n = g, a, c or t

<220>  
 <221> modified\_base  
 <222> (11)..(13)  
 <223> n = g, a, c or t, may be present or absent

<400> 26  
 gnnngnggnnn nnngnggnng ngg

23

<210> 27  
 <211> 23  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence:target site DNA  
 motif searched by protocol 1

<220>  
 <221> modified\_base  
 <222> (1)..(23)  
 <223> n = g, a, c or t

<220>  
 <221> modified\_base  
 <222> (11)..(13)  
 <223> n = g, a, c or t, may be present or absent

<400> 27  
 gnnngnnngg nnnngnggng nnn

23

<210> 28  
 <211> 24  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence:target site DNA  
 motif searched by protocol 1

<220>  
 <221> modified\_base  
 <222> (1)..(24)  
 <223> n = g, a, c or t

<220>  
 <221> modified\_base  
 <222> (12)..(14)  
 <223> n = g, a, c or t, may be present or absent

<400> 28  
 gnnngnnngg nnnngngggn gnnn

24

<210> 29  
 <211> 23  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence:target site DNA  
 motif searched by protocol 1

<220>  
 <221> modified\_base  
 <222> (1)..(23)  
 <223> n = g, a, c or t

<220>  
 <221> modified\_base  
 <222> (11)..(13)  
 <223> n = g, a, c or t, may be present or absent

<400> 29

23

```
<220>
<223> Description of Artificial Sequence:target site DNA
motif searched by protocol 1
```

```
<220>  
<221> modified_base  
<222> (12)..(14)  
<223> n = g, a, c or t, may be present or absent
```

24

```
<220>
<223> Description of Artificial Sequence:target site DNA
motif searched by protocol 1
```

```
<220>  
<221> modified_base  
<222> (11)..(13)  
<223> n = g, a, c or t, may be present or absent
```

23

```
<220>
<223> Description of Artificial Sequence:target site DNA
motif searched by protocol 1
```

```
<220>
<221> modified_base
<222> (12)..(14)
<223> n = g, a, c or t, may be present or absent
```

24

```
<220>
<223> Description of Artificial Sequence:target site DNA
motif searched by protocol 1
```

19

```
<220>
<223> Description of Artificial Sequence:target site DNA
motif searched by protocol 1
```

19

**<220>**

<223> Description of Artificial Sequence:target site DNA  
motif searched by protocol 1

<220>

<221> modified\_base

<222> (1)..(19)

<223> n = g, a, c or t

<400> 35

gnngnngngg nngnngngg

19

<210> 36

<211> 22

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:target site DNA  
motif searched by protocol 2

<220>

<221> modified\_base

<222> (1)..(22)

<223> n = g, a, c or t

<220>

<221> modified\_base

<222> (10)..(12)

<223> n = g, a, c or t, may be present or absent

<400> 36

knggnnknnn nnknnggnkn nn

22

<210> 37

<211> 23

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:target site DNA  
motif searched by protocol 2

<220>

<221> modified\_base

<222> (1)..(23)

<223> n = g, a, c or t

<220>

<221> modified\_base

<222> (11)..(13)

<223> n = g, a, c or t, may be present or absent

<400> 37

knggnnknnn nnnknnggnkn nnn

23



22

23

<220>

22

23

22

<210> 43  
 <211> 23  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence:target site DNA  
 motif searched by protocol 2

<220>  
 <221> modified\_base  
 <222> (1)..(23)  
 <223> n = g, a, c or t

<220>  
 <221> modified\_base  
 <222> (11)..(13)  
 <223> n = g, a, c or t, may be present or absent

<400> 43  
 knnknggnnn nnnknnggnk nnn

23

<210> 44  
 <211> 22  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence:target site DNA  
 motif searched by protocol 2

<220>  
 <221> modified\_base  
 <222> (1)..(22)  
 <223> n = g, a, c or t

<220>  
 <221> modified\_base  
 <222> (10)..(12)  
 <223> n = g, a, c or t, may be present or absent

<400> 44  
 knnknggnnn nnknknnggn nn

22

<210> 45  
 <211> 23  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence:target site DNA  
 motif searched by protocol 2

```
<220>  
<221> modified_base  
<222> (11)..(13)  
<223> n = g, a, c or t, may be present or absent
```

23

```
<210> 46
<211> 22
<212> DNA
<213> Artificial Sequence
```

```
<220>
<223> Description of Artificial Sequence:target site DNA
motif searched by protocol 2
```

```
<220>
<221> modified_base
<222> (1)..(22)
<223> n = g, a, c or t
```

```
<220>
<221> modified_base
<222> (10)..(12)
<223> n = g, a, c or t, may be present or absent
```

22

```
<210> 47
<211> 23
<212> DNA
<213> Artificial Sequence
```

```
<220>
<223> Description of Artificial Sequence:target site DNA
motif searched by protocol 2
```

```
<220>
<221> modified_base
<222> (1)..(23)
<223> n = g, a, c or t
```

```
<220>
<221> modified_base
<222> (11)..(13)
<223> n = g, a, c or t, may be present or absent
```

<400> 47

23

22

23

<220>  
<223> Description of Artificial Sequence:target site DNA motif searched by protocol 2

22

23

```

<220>
<221> modified_base
<222> (11)..(12)
<223> n = g, a, c or t, may be present or absent

```

<400> 52  
knnknnknngg nnknnknnkn gg

22

<210> 53  
<211> 23  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:target site DNA  
motif searched by protocol 2

<220>  
<221> modified\_base  
<222> (1)..(23)  
<223> n = g, a, c or t

<220>  
<221> modified\_base  
<222> (12)..(13)  
<223> n = g, a, c or t, may be present or absent

<400> 53  
knnknnknngg nnnknnknnk ngg

23

<210> 54  
<211> 19  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:target site DNA  
motif searched by protocol 2

<220>  
<221> modified\_base  
<222> (1)..(19)  
<223> n = g, a, c or t

<400> 54  
knnknnknngg nggnknnn

19

<210> 55  
<211> 19  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:target site DNA  
motif searched by protocol 2

<220>  
<221> modified\_base  
<222> (1)..(19)

19

19

19

19

19

19

19

19

19

19

22

22

22

22



```

<220>
<221> modified_base
<222> (11)..(13)
<223> n = q, a, c or t, may be present or absent

```

23

```
<210> 59
<211> 22
<212> DNA
<213> Artificial Sequence
```

<220>  
<223> Description of Artificial Sequence:target site DNA motif searched by protocol 3

```
<220>
<221> modified_base
<222> (1)..(22)
<223> n = g, a, c or t
```

```
<220>  
<221> modified_base  
<222> (10)..(12)  
<223> n = g, a, c or t, may be present or absent
```

22

```
<210> 60
<211> 23
<212> DNA
<213> Artificial Sequence
```

<220>  
<223> Description of Artificial Sequence:target site DNA  
motif searched by protocol 3

```
<220>
<221> modified_base
<222> (1)..(23)
<223> n = g, a, c or t
```

```
<220>  
<221> modified_base  
<222> (11)..(13)  
<223> n = g, a, c or t, may be present or absent
```

23

22

23

<220>  
<223> Description of Artificial Sequence:target site DNA motif searched by protocol 3

```
<220>
<221> modified_base
<222> (10)..(12)
<223> n = g, a, c or t, may be present or absent
```

22

```
<210> 64
<211> 23
<212> DNA
<213> Artificial Sequence
```

```
<220>
<223> Description of Artificial Sequence:target site DNA
motif searched by protocol 3
```

```
<220>
<221> modified_base
<222> (1)..(23)
<223> n = q, a, c or t
```

```
<220>
<221> modified_base
<222> (11)..(13)
<223> n = g, a, c or t, may be present or absent
```

23

```
<210> 65
<211> 22
<212> DNA
<213> Artificial Sequence
```

```
<220>
<223> Description of Artificial Sequence:target site DNA
motif searched by protocol 3
```

```
<220>
<221> modified_base
<222> (1)..(22)
<223> n = g, a, c or t
```

```
<220>
<221> modified_base
<222> (10)..(12)
<223> n = g, a, c or t, may be present or absent
```

<400> 65

22

<220>  
<223> Description of Artificial Sequence:target site DNA  
motif searched by protocol 3

```
<220>
<221> modified_base
<222> (11)..(13)
<223> n = q, a, c or t, may be present or absent
```

23

```
<220>
<223> Description of Artificial Sequence:target site DNA
      motif searched by protocol 3
```

```
<220>
<221> modified_base
<222> (10)..(12)
<223> n = g, a, c or t, may be present or absent
```

22

```
<220>
<223> Description of Artificial Sequence:target site DNA
      motif searched by protocol 3
```

23

22

```
<220>  
<221> modified_base  
<222> (12)..(13)  
<223> n = g, a, c or t, may be present or absent
```

<400> 70  
knnknnkngk nnnkngknnk nnn

23

<210> 71  
<211> 22  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:target site DNA  
motif searched by protocol 3

<220>  
<221> modified\_base  
<222> (1)..(22)  
<223> n = g, a, c or t

<220>  
<221> modified\_base  
<222> (11)..(12)  
<223> n = g, a, c or t, may be present or absent

<400> 71  
knnknnkngk nnknnkngkn nn

22

<210> 72  
<211> 23  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:target site DNA  
motif searched by protocol 3

<220>  
<221> modified\_base  
<222> (1)..(23)  
<223> n = g, a, c or t

<220>  
<221> modified\_base  
<222> (12)..(13)  
<223> n = g, a, c or t, may be present or absent

<400> 72  
knnknnkngk nnnknnkngk nnn

23

<210> 73  
<211> 22  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:target site DNA

<220>

<222> (1) . . (22)

<220>

 $\langle 222 \rangle \quad (11) \dots (1\bar{2})$ 

<400> 73

22

<211> 23

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:target site DNA motif searched by protocol 3

<220>

<221> modified base

<222> (1) . . (23)

<223> n = g, a, c or t

<220>

<221> modified base

<222> (12) .. (13)

<223> n = g, a, c or t, may be present or absent

<400> 74

23

<210> 75

<211> 19

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:target site DNA motif searched by protocol 3

<220>

<221> modified base

<222> (1) .. (19)

<223> n = g, a, c or t

<400> 75

19

<400> 79



10

10

10

10

12

<220>

10

10

10

10

<210> 88  
<211> 7

```
<212> PRT
<213> Artificial Sequence
```

```
<220>
<223> Description of Artificial Sequence:finger F3 for
ordered output from optimal design target site
```

<400> 88  
Glu Arg Asp His Leu Arg Thr  
1 5

```
<210> 89
<211> 7
<212> PRT
<213> Artificial Sequence
```

```
<220>
<223> Description of Artificial Sequence:finger F2 for
ordered output from optimal design target site
```

<400> 89  
Arg Ser Asp Glu Leu Gln Arg  
1 5

```
<210> 90
<211> 7
<212> PRT
<213> Artificial Sequence
```

```
<220>
<223> Description of Artificial Sequence: finger F1 for
ordered output from optimal design target site
```

```
<400> 90
Arg Lys Asp Ser Leu Val Arg
  1                      5
```

```
<210> 91
<211> 7
<212> PRT
<213> Artificial Sequence
```

```
<220>
<223> Description of Artificial Sequence:finger for
disordered output from optimal design target site
```

```
<400> 91
Arg Ser Asp Glu Leu Thr Arg
      1              5
```

<210>	92
<211>	7
<212>	PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: finger for  
disordered output from optimal design target site

<400> 92

Arg Ser Asp Glu Arg Lys Arg  
1 5

<210> 93

<211> 21

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: three finger  
ZFP design using F3, F2 and F1 fingers for ordered  
output from optimal design target site

<400> 93

Arg Lys Asp Ser Leu Val Arg Arg Ser Asp Glu Leu Gln Arg Glu Arg  
1 5 10 15

Asp His Leu Arg Thr  
20

<210> 94

<211> 21

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: ZFP sequence  
(F1, F2 and F3) from SBS design GR-223

<400> 94

Arg Ser Ala Asp Leu Thr Arg Arg Ser Asp His Leu Thr Arg Glu Arg  
1 5 10 15

Asp His Leu Arg Thr  
20

<210> 95

<211> 21

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: ZFP sequence  
(F1, F2 and F3) from Zif 268

<400> 95

Arg Ser Asp Glu Leu Thr Arg Arg Ser Asp His Leu Thr Thr Arg Ser

1 5 10 15

Asp Glu Arg Lys Arg  
20

<210> 96  
<211> 21  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:ZFP sequence  
(F1, F2, F3) from SP1

<400> 96  
Lys Thr Ser His Leu Arg Ala Arg Ser Asp Glu Leu Gln Arg Arg Ser  
1 5 10 15

Asp His Leu Ser Lys  
20

<210> 97  
<211> 21  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:ZFP sequence  
(F1, F2, F3) from SBS design GL-8.3.1

<400> 97  
Arg Lys Asp Ser Leu Val Arg Thr Ser Asp His Leu Ala Ser Arg Ser  
1 5 10 15

Asp Asn Leu Thr Arg  
20